## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	29	"5719589"	US-PGPUB; USPAT	OR	OFF	2006/03/10 15:07
L2	9	(("5719589") or ("5169528") or ("6351255") or ("6369786") or ("6414661") or ("6707438") or ("6747617") or ("6943761") or ("20040061670")).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/10 15:12
Ц3	1	("6169528").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/10 15:14
L4	178464	current with change\$3	US-PGPUB; USPAT	OR	OFF	2006/03/10 15:15
L5	195152	current with chang\$3	US-PGPUB; USPAT	OR	OFF	2006/03/10 15:15
L6	870182	voltage	US-PGPUB; USPAT	OR	OFF	2006/03/10 15:15
L7	73507	I5 same I6	US-PGPUB; USPAT	OR	OFF	2006/03/10 15:15
L8	166342	(capacitor or hold\$3) with voltage	US-PGPUB; USPAT	OR	OFF	2006/03/10 15:16
L9	40834	current with compensat\$3	US-PGPUB; USPAT	OR	OFF	2006/03/10 15:17
L10	0	current with refference	US-PGPUB; USPAT	OR	OFF	2006/03/10 15:17
L11	13029	reference adj current	US-PGPUB; USPAT	OR	OFF	2006/03/10 15:18
L12	650	l11 and l9 and l8 and l7 and l6 and l5 and l4	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:04
L13	1087593	mode	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:04
L14	424	l12 and l13	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:04
L15	73389	(column or data) with driver	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:04
L16	76	l14 and l15	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:05
L17	40834	current with compensat\$3	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:05
L18	76	l16 and l17	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:26
L19	16571	compensat\$3 with mode	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:27

3/10/06 4:45:51 PM Page 1

## **EAST Search History**

L20	51175	supply\$3 with mode	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:27
L21	2135	l19 and l20	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:27
L22	671	I5 and I6 and I7 and I8 and I9 and I11	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:28
L23	33	I21 and I22	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:30
L24	0	liaght adj emitting	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:30
L25	160865	light adj emitting	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:30
L26	18	electrolumin\$4 adj display	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:31
L27	3730	electrolumin\$6 adj display	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:31
L28	81232	el	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:31
L29	230702	l25 or l27 or l28	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:32
L30	193	l19 and l20 and l29	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:32
L31	14	l11 and l30	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:34
L32	18	tokioka with hidetada	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:34
L33	9	ryuichi with hashido	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:34
L34	21	takahiro with urakabe	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:34
L35	11	masafumi with agari	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:35
L36	16	masashi with okabe	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:35
L37	45	mitsuo with inoue	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:35
L38	85	132 or 133 or 134 or 135 or 136 or 137	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:36
L39	30	mode and I38	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:36
L40	2	l11 and l39	US-PGPUB; USPAT	OR	OFF	2006/03/10 16:39

3/10/06 4:45:51 PM Page 2

## **EAST Search History**

L42	1	(current and supply and circuit and voltage and driving and holding and compensat\$3 and reference and node and initial and transmit\$4 and operation and mode\$1).clm.	US-PGPUB	OR	OFF	2006/03/10 16:42
L43		(display and pixel\$1 and scan and	US-PGPUB	OR	OFF	2006/03/10 16:45
		data and line\$1 and current and				
		circuit\$1 and first and second and				
		mode\$1 and node and holding and				
		compensat\$3 and transmit\$4 and				
		active and inactive).clm.				

3/10/06 4:45:51 PM Page 3